

SINGA



BRICK PUMP

New Pump for Bubble Pad


Model no. B1 (5Lpm)/B2 (3Lpm)



BRICK PUMP

I just know you are looking forward to it!
Order it now to go with BUBBLE PAD.

SPECIFICATION OF BRICK PUMP		MODEL NO.	
		B1	B2
Air Output	liter/min (LPM)	>5 LPM	3LPM
Air Pressure (Max.)	120mmHg	✓	✓
Cycle Time(Fixed)	8 times/60Hz ; 9.6times/50Hz	✓	✓
Electrical	AC110V/60Hz 0.5A	✓	✓
	AC230V/50HZ 0.5A		
Leagth of Power Cord	300cm	✓	✓
2 sections	A:B rating	✓	✓
Pressure Range	Adjustable 6 levels	✓	✓
Low Pressure Detector	Light (LED indicator)	✓	✓
Auto-pressure Detector		✓	✓
Weight	1.5Kg~1.8Kg	1.6Kg	1.6Kg
Fuse Rating	250V 0.5A	✓	✓
Dimension (W x H x D)	H170 x W160 x D110mm	✓	✓
Working Surrounding	20~40C	✓	✓
Safty	Safty and EMC	✓	✓





Come to order our **“BRICK PUMP & BUBBLE PAD”**,
you will receive our **SPECIAL OFFER** instantly!

Air Pump Model No.	DESCRIPTION
BM03N	Bubble pad Material : 0.30 mm PVC Size : deflated: L 238 x W 102 cm (inflated: L 198 x W 80 cm) Flap Size : L 38cm /138
BM02	Bubble pad Material : 0.32mm PVC Size : L 95x W 40 inch / L 254 cm x W102 cm
BM03	Bubble pad Material : 0.32 mm PVC Size : deflated: L 254 x W 102 cm (inflated: L 198 x W 88.5 cm) Flap Size : L 20"
BM04	Bubble pad with laser hole (5,6,7,8 section) Material : 0,32 mm PVC PVC Size : deflated: L 250 x W 106 cm (inflated:L 195 x W 91cm) Flap Size : L 20"